

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"7099322".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 09:30
S1	5097	370/400	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:05
S2	3929	S1 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:07
S3	2667	S2 and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:11
S4	311	S3 and (communication adj media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:13
S5	353	S3 and wired and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:15
S6	256	S5 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:21
S8	69	S3 and (first and second) near4 media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:21
S9	63	S8 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:57

## EAST Search History

S10	19491	packet and (wired near3 wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 12:47
S11	290	S1 and packet and (wired near3 wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 10:57
S12	194	S11 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 07:53
S13	1	10/617318	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 11:26
S14	9166	370/351,431,397,400,368,392, 396,397,902,913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:47
S15	177	S14 and media near3 identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 12:30
S16	112	S15 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:35
S17	445	S14 and packet and (wired near3 wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:19
S18	518	S14 and (wired near3 wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 12:47
S19	217	S17 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:40

## EAST Search History

S22	157	S14 and (different distinct) adj2 media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:21
S23	117	S22 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:35
S24	5640	packet with (identif\$7 near4 (media type kind))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 07:06
S25	392	S14 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:37
S26	310	S25 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:39
S27	628	packet with (identif\$7 near3 media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:39
S28	34	S14 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 13:39
S29	25	S28 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:30
S30	21971	packet and identif\$7 same (medium (type adj2 link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:46
S31	825	S30 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:40

## EAST Search History

S32	563	S31 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:26
S33	15930	packet and identif\$7 same (wired wireless (type adj2 link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:47
S34	417	S14 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:47
S35	253	S34 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/13 14:47
S36	129	packet with identif\$7 near4 ((media interface) near4 (type kind))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 07:48
S37	74	S36 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 07:08
S38	6230	packet same wireless same wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 07:49
S39	362	packet same identif\$6 same wireless same wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 07:49
S40	153	S39 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:27
S41	633	dual with interface same (wired wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:42

## EAST Search History

S42	303	S41 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:26
S43	224	S42 and identif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:23
S44	124	S43 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:23
S45	101	S42 and (type kind) near4 (media interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:27
S46	41	S45 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 09:31
S47	87	dual with interface same (wired and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 09:31
S48	22408	interface same (wired and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 08:42
S49	823	(dual two) with interface same (wired and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 09:32
S50	379	S49 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 09:33
S51	196	S49 and (indicat\$3 identif\$7) near4 (interface medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 09:33

## EAST Search History

S52	74	S51 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:25
S53	536	explicit adj rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:45
S54	312	S53 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:25
S55	235	S54 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:45
S56	49	S55 and link adj (type kind)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:32
S57	0	S55 and (link adj (type kind)) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:33
S58	10	S55 and (link adj (type kind)) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:38
S59	10	S55 and ((link media) adj (type kind)) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:38
S60	132	explicit adj routing and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:56
S61	105	S60 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:14

## EAST Search History

S62	253	explicit adj (routing path) and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:13
S63	186	S62 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:56
S64	1354	(explicit source) adj (routing path) and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:15
S65	971	S64 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:15
S66	1091	(explicit source) adj (routing ) and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:15
S67	799	S66 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:40
S68	48486	communication adj media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:38
S69	0	communication adj media16 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:38
S70	15185	(communication adj media) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:39
S71	169	(communication adj media) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:45

## EAST Search History

S72	104	S71 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:46
S73	26	(identif\$7 select\$3) with (communication adj media) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:56
S74	22	S73 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:06
S75	0	(identif\$7 select\$3) with (type adj communication adj media) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:57
S76	5	(identif\$7 select\$3) with (type adj link) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:00
S77	13	(identif\$7 select\$3) with (type adj connection) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:55
S78	23	(identif\$7 select\$3) with (type adj media) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:05
S79	15	S78 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:16
S80	179	header with (identif\$6 type characteristic kind) near (wireless mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:19
S81	91	S80 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:20

## EAST Search History

S82	714	header with (identif\$6 type characteristic kind) near (media link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:28
S83	472	S82 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:57
S84	13	header with (identif\$6 type characteristic kind) near (media link conduit) same (wireless wired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:49
S85	10	S84 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:28
S86	2459	header with (identif\$6 select\$3) near (media type characteristic kind link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:51
S87	9861	header with (identif\$6 select\$3) with (media type characteristic kind link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:51
S88	3780	header with (identif\$6 select\$3) with (media kind link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:53
S89	3445	header with (identif\$6 select\$3) with (media link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:53
S90	1843	header with (identif\$6 select\$3) with (link conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:55
S91	215463	header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:55

## EAST Search History

S92	41	S91 with (identif\$7 select\$3) with (type adj (connection media link conduit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 16:56
S93	30	S92 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:07
S94	2	("6522630").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 17:06
S95	0	("firstadjcommunicationadjmedia").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 17:06
S96	296	first adj communication adj media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:18
S97	210	S96 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:20
S98	179	S80 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:08
S99	44	S97 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:18
S10 0	3	(first adj communication adj media) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:19
S10 2	39399	(first adj communication adj media link port conduit) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:20

## EAST Search History

S10 3	36	(first adj communication adj (media link port conduit)) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:20
S10 4	23	S103 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:38
S10 5	261	(packet header) near identif\$6 near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:39
S10 6	182	S105 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:40
S10 7	39	(packet header) near identif\$6 near medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:41
S10 8	16	S107 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:43
S10 9	313	(packet header) near identif\$6 near (transport link conduit radio wireless wired cable copper fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:47
S11 0	243	S109 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:48
S11 1	117	(packet header) near identif\$6 near ( link conduit radio wireless wired cable copper fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:48
S11 2	558	(packet header) near3 identif\$6 near ( link conduit radio wireless wired cable copper fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:48

## EAST Search History

S11 3	380	S112 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 17:48
S11 4	5718	(packet header) and wireless with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 07:53
S11 5	2106	S114 and (identif\$7 select\$3) with (wired wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 07:53
S11 6	1031	S115 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:04
S11 7	12	S116 and header near (identif\$7 select\$3) with (wired wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:07
S11 8	1031	S116 and (identif\$7 select\$3) with (wired wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:08
S11 9	91	S116 and (header same (identif\$7 select\$3) with (wired wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:17
S12 0	55	S116 and (header same (identif\$7 select\$3) near5 (wired wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:21
S12 1	0	S116 and (header same (identif\$7 select\$3) near5 (wired near3 wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:22
S12 2	0	S116 and (header same (identif\$7 select\$3) near5 (wired near5 wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:22

## EAST Search History

S12 3	24	S116 and (identif\$7 select\$3) near5 (wired near5 wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:22
S12 4	122	routing adj control adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:40
S12 5	95	S124 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:41
S12 6	0	S125 and explicit adj routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:39
S12 8	1	S125 and explicit adj rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:39
S12 9	4510	routing adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:40
S13 0	14	S129 and explicit adj routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:45
S13 1	12	S130 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:45
S13 2	271	explicit adj routing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:45
S13 4	201	S132 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:40

## EAST Search History

S13 5	14	S134 and identifying adj2 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:46
S13 6	35825	first adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:39
S13 7	15767	S136 same (second adj bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:47
S13 8	494	S137 same medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:44
S13 9	299	S138 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:44
S14 0	12	S137 same (select\$3 near4 medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:44
S14 1	7	S140 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:49
S14 2	5363	bit near5 (wireless wired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:50
S14 3	1185	S142 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:48
S14 4	816	S143 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:50

## EAST Search History

S14 5	522	bit near5 indicat\$3 with (wireless wired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:53
S14 6	314	S145 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 14:27
S14 7	95	(bit near5 indicat\$3 with (wireless wired)) same (header packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:53
S14 8	48	S147 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:54
S14 9	95	S124 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 16:32
S15 0	42	S149 and medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 15:02
S15 2	7	"1496652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 15:41
S15 4	59	length adj field with routing with (data payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 16:32
S15 5	38	S154 and (@ad<="20020710" or @rlad<="20020710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 16:32